



| | | |
|--------------------|---|--------------------------|
| Materials/Finishes | Plain Carbon Steel (55B) | Electro-Galvanized (55G) |
| Variants: | N/A | |
| Service: | Designed for suspending pipe supports from wood structures. | |
| Approvals: | N/A | |
| Ordering: | Specify figure number, finish and rod size. | |
| Notes: | N/A | |

| SIZE A | MINIMUM LENGTH | | WGT EACH (lbs) X LENGTH D | | | | | | |
|-----------|----------------|------------|---------------------------|------|-------|------|------|------|------|
| | MACHINE B | COACH C | 3-1/2 | 4 | 4-1/2 | 6 | 8 | 10 | 12 |
| 1/4-20 | 1-5/8 | 1-3/4 | 0.04 | - | - | - | - | - | - |
| 3/8-16 | 1-5/8 | 1-3/4 | 0.08 | - | 0.11 | 0.14 | 0.19 | 0.23 | 0.29 |
| 1/2-13 | 1-5/8 | 1-3/4 | - | 0.14 | 0.21 | 0.22 | 0.32 | 0.36 | 0.40 |

| PROJECT INFORMATION | | | APPROVAL STAMP | |
|---------------------|-------------------|--------------|----------------|--|
| Project: | | | Notes: | |
| Address: | | | | |
| Contractor: | | | | |
| Engineer: | | | | |
| Date: | | | | |
| Approved | Approved as Noted | Not Approved | | |