

CELLO PRODUCTS INC.

"The New Choice"



ISO 9002

NSF 61*

* wrot copper products

C Press Fittings

USA

Price List #10

Effective May 10, 2021

PRICE LIST

CANADA

210 Avenue Road
Cambridge, Ontario N1R 8H5

Telephone: (519) 621-9150
Fax: (519) 621-4108
Customer Service: 1-800-265-7882
e-mail:
custservice@celloproducts.com



U.S.A.

Frank Longenecker

Telephone: 1-800-265-7882 x 145

e-mail:
flongenecker@celloproducts.com



CELLO #	SIZE	BOX/MC	LIST	CELLO #	SIZE	BOX/MC	LIST
150# FLANGES				BP7-32	2	2 12	79.58
press x flange Press Fit BP41-				BP7-40	2 1/2	1 12	235.63
BP41-20	1 1/4	1 0	282.56	BP7-48	3	1 9	296.44
BP41-24	1 1/2	1 0	302.10	BP7-64	4	1 4	366.74
BP41-32	2	1 0	332.89	BP7-12-08	3/4 X 1/2	15 240	10.04
BP41-40	2 1/2	1 0	339.11	BP7-16-12	1 X 3/4	10 70	22.77
BP41-48	3	1 6	435.67	90° Bend with MPT Thread			
BP41-64	4	1 6	487.41	Press x Male Thread (MPT) Press Fit BP74-			
45° Elbow				BP74-08	1/2	10 80	23.71
Press x Press Press Fit BP6-				BP74-12	3/4	12 96	39.63
BP6-08	1/2	10 240	5.38	BP74-16	1	9 72	55.43
BP6-12	3/4	10 120	6.60	BP74-20	1 1/4	4 32	77.40
BP6-16	1	5 60	21.09	BP74-24	1 1/2	2 16	103.32
BP6-20	1 1/4	4 40	30.23	BP74-32	2	2 16	149.93
BP6-24	1 1/2	2 24	49.00	90° Elbow Drop Ear FIP Thread			
BP6-32	2	2 12	67.24	Press x Female Thread (FPT) Press Fit BP735-			
BP6-40	2 1/2	1 16	158.55	BP735-08	1/2	10 80	23.24
BP6-48	3	1 12	222.38	BP735-12	3/4	8 64	45.85
BP6-64	4	1 6	314.77	90° Elbow with FPT Thread			
45° Street Elbow				Press x Female Thread (FPT) Press Fit BP73-			
Press x Fitting Press Fit BP6-2-				BP73-08	1/2	20 160	16.09
BP6-2-08	1/2	10 240	4.23	BP73-12	3/4	10 80	25.61
BP6-2-12	3/4	10 120	6.27	BP73-16	1	7 56	44.48
BP6-2-16	1	10 60	20.57	BP73-20	1 1/4	4 32	72.87
BP6-2-20	1 1/4	4 40	30.26	BP73-24	1 1/2	2 16	95.97
BP6-2-24	1 1/2	2 20	46.27	BP73-32	2	2 16	156.56
BP6-2-32	2	2 12	68.58	90° Street Elbow			
BP6-2-40	2 1/2	1 16	193.19	Press x Press Press Fit BP7-2-			
BP6-2-48	3	1 12	279.99	BP7-2-08	1/2	10 240	4.62
BP6-2-64	4	1 6	404.83	BP7-2-12	3/4	10 100	7.79
90° Bend				BP7-2-16	1	5 60	17.91
Press x Press Press Fit BP7-				BP7-2-20	1 1/4	2 36	32.96
BP7-08	1/2	10 240	4.44	BP7-2-24	1 1/2	2 20	60.60
BP7-12	3/4	10 100	7.49	BP7-2-32	2	2 12	83.32
BP7-16	1	5 60	15.02	BP7-2-40	2 1/2	1 14	263.86
BP7-20	1 1/4	2 36	30.28	BP7-2-48	3	1 9	306.83
BP7-24	1 1/2	2 20	57.25				



CELLO #	SIZE	BOX/MC	LIST	CELLO #	SIZE	BOX/MC	LIST
90° Street Elbow...Continued							
Press x Press		Press Fit				BP7-2-	
BP7-2-64	4	1	4	390.76			
Cap							
Press		Press Fit				BP17-	
BP17-08	1/2	10	600	8.21			
BP17-12	3/4	10	300	13.92			
BP17-16	1	10	240	21.24			
BP17-20	1 1/4	10	120	25.73			
BP17-24	1 1/2	5	60	40.11			
BP17-32	2	5	40	49.03			
BP17-40	2 1/2	1	40	165.91			
BP17-48	3	1	36	210.02			
BP17-64	4	1	24	244.85			
Crossover Coupling							
Press x Press		Press Fit				BP36-	
BP36-08	1/2	10	100	30.77			
BP36-12	3/4	10	50	38.81			
Female Adapter							
Press x Female Pipe Thread (FPT)		Press Fit				BP3-	
BP3-08	1/2	25	200	6.55			
BP3-12	3/4	15	120	10.24			
BP3-16	1	12	96	19.60			
BP3-20	1 1/4	8	64	44.01			
BP3-24	1 1/2	6	48	61.51			
BP3-32	2	3	24	101.90			
BP3-40	2 1/2	1	36	242.06			
BP3-48	3	1	24	396.44			
BP3-08-12	1/2 X 3/4	15	120	10.46			
BP3-12-08	3/4 X 1/2	25	200	10.72			
BP3-16-08	1 X 1/2	10	200	32.15			
BP3-16-12	1 X 3/4	15	120	33.33			
BP3-16-20	1 X 1 1/4	8	64	32.07			
BP3-20-16	1 1/4 X 1	8	64	44.64			
BP3-20-24	1 1/4 X 1 1/2	6	48	53.11			
BP3-2-08	1/8 X 1/2	25	250	20.98			
BP3-2-12	1/8 X 3/4	25	250	30.36			
BP3-2-16	1/8 X 1	20	200	47.32			
BP3-2-20	1/8 X 1 1/4	10	100	83.93			
BP3-2-24	1/8 X 1 1/2	5	100	93.58			
BP3-2-32	1/8 X 2	5	50	158.54			
BP3-24-20	1 1/2 X 1 1/4	6	48	55.56			
BP3-2-08-12	1/8 X 1/2 X 3/4	5	100	22.90			
BP3-2-12-08	1/8 X 3/4 X 1/2	25	250	28.47			
BP3-2-16-12	1/8 X 1 X 3/4	10	100	44.62			
Female Union							
Press x Female Thread (FPT)		Press Fit				BP33-3-	
BP33-3-08	1/2	12	96	29.14			
BP33-3-12	3/4	10	80	38.10			
BP33-3-16	1	5	40	60.67			
BP33-3-20	1 1/4	4	32	75.99			
BP33-3-24	1 1/2	3	24	108.55			
BP33-3-32	2	3	15	161.28			
Fitting Reducer							
Press x Fitting		Press Fit				BP02-	
BP02-12-08	3/4 X 1/2	10	240	4.71			
BP02-16-08	1 X 1/2	10	160	13.68			
BP02-16-12	1 X 3/4	10	160	12.50			
BP02-20-08	1 1/4 X 1/2	5	180	15.80			
BP02-20-12	1 1/4 X 3/4	4	104	16.25			
BP02-20-16	1 1/4 X 1	4	104	16.97			
BP02-24-08	1 1/2 X 1/2	4	56	45.76			
BP02-24-12	1 1/2 X 3/4	4	56	27.55			
BP02-24-16	1 1/2 X 1	4	56	24.91			
BP02-24-20	1 1/2 X 1 1/4	4	56	25.06			
BP02-32-08	2 X 1/2	2	48	55.28			
BP02-32-12	2 X 3/4	2	44	54.82			
BP02-32-16	2 X 1	2	40	28.23			
BP02-32-20	2 X 1 1/4	2	40	34.56			
BP02-32-24	2 X 1 1/2	2	32	33.60			
BP02-40-16	2 1/2 X 1	1	38	117.97			
BP02-40-20	2 1/2 X 1 1/4	1	38	154.16			
BP02-40-24	2 1/2 X 1 1/2	1	35	173.68			
BP02-40-32	2 1/2 X 2	1	35	149.34			
BP02-48-20	3 X 1 1/4	1	25	184.07			
BP02-48-24	3 X 1 1/2	1	20	189.98			
BP02-48-32	3 X 2	1	20	184.89			
BP02-48-40	3 X 2 1/2	1	16	190.45			



CELLO #	SIZE	BOX/MC	LIST
Fitting Reducer...Continued			
Press x Fitting		Press Fit	BP02-
BP02-64-32	4 X 2	1 10	212.78
BP02-64-40	4 X 2 1/2	1 10	232.49
BP02-64-48	4 X 3	1 10	245.72
Male Adapter			
Press x Male Pipe Thread (MPT)		Press Fit	BP4-
BP4-08	1/2	25 200	5.25
BP4-12	3/4	15 120	9.43
BP4-16	1	15 120	17.63
BP4-20	1 1/4	8 64	38.56
BP4-24	1 1/2	4 32	54.08
BP4-32	2	3 24	104.10
BP4-40	2 1/2	1 28	240.15
BP4-48	3	1 18	306.88
BP4-64	4	1 12	373.07
BP4-08-12	1/2 X 3/4	18 144	11.03
BP4-12-08	3/4 X 1/2	15 120	11.57
BP4-12-16	3/4 X 1	15 120	23.53
BP4-16-12	1 X 3/4	15 120	29.05
BP4-16-20	1 X 1 1/4	9 72	36.85
BP4-20-16	1 1/4 X 1	8 64	42.43
BP4-20-24	1 1/4 X 1 1/2	4 32	45.30
BP4-2-08	1/8 X 1/2	5 250	19.16
BP4-2-12	1/8 X 3/4	5 160	32.03
BP4-2-16	1/8 X 1	5 200	47.90
BP4-2-20	1/8 X 1 1/4	5 80	63.53
BP4-2-24	1/8 X 1 1/2	5 75	94.74
BP4-2-32	1/8 X 2	5 25	139.47
BP4-24-20	1 1/2 X 1 1/4	5 40	56.90
BP4-24-32	1 1/2 X 2	3 24	111.26
BP4-32-24	2 X 1 1/2	3 24	100.33
BP4-2-08-12	1/8 X 1/2 X 3/4	5 20	31.46
BP4-2-12-08	1/8 X 3/4 X 1/2	5 180	31.58
BP4-2-16-12	1/8 X 1 X 3/4	5 200	48.00
Male Union			
Press x Male Thread (MPT)		Press Fit	BP33-4-
BP33-4-08	1/2	12 96	30.75
BP33-4-12	3/4	10 80	43.94

CELLO #	SIZE	BOX/MC	LIST
BP33-4-16	1	5 40	63.54
BP33-4-20	1 1/4	4 32	91.03
BP33-4-24	1 1/2	3 24	127.00
BP33-4-32	2	3 15	160.73
No Stop Coupling			
Press x Press		Press Fit	BP0-NSTOP-
BP0-NSTOP-08	1/2	10 300	9.63
BP0-NSTOP-12	3/4	10 160	12.11
BP0-NSTOP-16	1	10 120	15.70
BP0-NSTOP-20	1 1/4	4 64	24.52
BP0-NSTOP-24	1 1/2	2 40	37.78
BP0-NSTOP-32	2	2 20	42.51
BP0-NSTOP-40	2 1/2	1 32	123.71
BP0-NSTOP-48	3	1 18	160.99
BP0-NSTOP-64	4	1 12	211.22
Press by Pex (F1960) Adapter			
Press x Pex (F1960)		Press Fit	BPPXX0-
BPPXX0-08	1/2	40 320	7.62
BPPXX0-12	3/4	15 120	9.98
BPPXX0-16	1	12 96	14.77
Press by Pex Adapter			
Press x Pex		Press Fit	BPPX0-
BPPX0-08	1/2	40 320	7.76
BPPX0-12	3/4	15 120	9.39
BPPX0-16	1	12 96	14.77
Press to Pex Tee			
Press x Press x Pex		Press Fit	BPPXT-
BPPXT-12-12-08	3/4 X 3/4 X 1/2	10 80	23.18
BPPXT-16-16-08	1 X 1 X 1/2	7 56	30.91
BPPXT-16-16-12	1 X 1 X 3/4	7 56	34.81
Press x Press Union			
		Press Fit	BP33-
BP33-08	1/2	12 96	32.62



Press x Press Union...Continued				
		Press Fit		BP33-
BP33-12	3/4	10	80	42.76
BP33-16	1	5	40	68.30
BP33-20	1 1/4	4	32	97.48
BP33-24	1 1/2	3	24	132.41
BP33-32	2	3	15	216.17
Straight Coupling With Stop				
		Press Fit		BP0-
BP0-08	1/2	10	300	4.01
BP0-12	3/4	10	160	6.07
BP0-16	1	10	120	12.23
BP0-20	1 1/4	4	64	15.76
BP0-24	1 1/2	2	40	28.79
BP0-32	2	2	20	36.73
BP0-40	2 1/2	1	32	117.37
BP0-48	3	1	18	149.46
BP0-64	4	1	12	211.52
BP0-12-08	3/4 X 1/2	10	240	10.43
BP0-16-08	1 X 1/2	10	120	19.88
BP0-16-12	1 X 3/4	10	120	13.06
BP0-20-08	1 1/4 X 1/2	4	72	99.69
BP0-20-12	1 1/4 X 3/4	4	72	31.08
BP0-20-16	1 1/4 X 1	4	72	25.40
BP0-24-08	1 1/2 X 1/2	4	40	103.38
BP0-24-12	1 1/2 X 3/4	4	40	45.90
BP0-24-16	1 1/2 X 1	4	40	44.53
BP0-24-20	1 1/2 X 1 1/4	4	40	47.84
BP0-32-08	2 X 1/2	1	45	140.86
BP0-32-12	2 X 3/4	2	32	52.58
BP0-32-16	2 X 1	2	32	55.62
BP0-32-20	2 X 1 1/4	2	32	54.76
BP0-32-24	2 X 1 1/2	1	32	54.76
BP0-40-16	2 1/2 X 1	1	0	211.24
BP0-40-20	2 1/2 X 1 1/4	1	0	219.64
BP0-40-24	2 1/2 X 1 1/2	1	0	221.93
BP0-40-32	2 1/2 X 2	1	30	223.37
BP0-48-24	3 X 1 1/2	1	24	245.57
BP0-48-32	3 X 2	1	24	246.20
BP0-48-40	3 X 2 1/2	1	24	288.65
BP0-64-32	4 X 2	1	10	306.19
BP0-64-40	4 X 2 1/2	1	10	338.04

BP0-64-48	4 X 3	1	10	372.15
Tee with Female Thread Branch (FPT)				
		Press Fit		BP12-
BP12-08	1/2	8	64	22.27
BP12-12	3/4	7	56	35.15
BP12-20	1 1/4	4	16	121.56
BP12-12-12-08	3/4 X 3/4 X 1/2	7	56	32.31
BP12-16-16-08	1 X 1 X 1/2	5	70	41.34
BP12-16-16-12	1 X 1 X 3/4	5	40	48.85
BP12-20-20-08	1 1/4 X 1 1/4 X 1/2	1	50	59.12
BP12-20-20-12	1 1/4 X 1 1/4 X 3/4	1	50	61.28
BP12-24-24-08	1 1/2 X 1 1/2 X 1/2	1	32	75.02
BP12-24-24-12	1 1/2 X 1 1/2 X 3/4	1	0	101.49
BP12-32-32-08	2 X 2 X 1/2	1	12	87.67
BP12-32-32-12	2 X 2 X 3/4	1	12	88.85
Tees				
		Press Fit		BPT-
BPT-08	1/2	10	120	6.79
BPT-12	3/4	10	60	11.92
BPT-16	1	4	40	21.89
BPT-20	1 1/4	2	24	37.72
BPT-24	1 1/2	2	16	71.85
BPT-32	2	1	8	88.78
BPT-40	2 1/2	1	10	296.70
BPT-48	3	1	6	363.87
BPT-64	4	1	4	520.37
BPT-08-08-12	1/2 X 1/2 X 3/4	10	80	22.20
BPT-08-08-16	1/2 X 1/2 X 1	10	60	31.40
BPT-12-08-08	3/4 X 1/2 X 1/2	10	70	19.12
BPT-12-08-12	3/4 X 1/2 X 3/4	10	30	20.62
BPT-12-12-08	3/4 X 3/4 X 1/2	10	80	10.43
BPT-12-12-16	3/4 X 3/4 X 1	5	80	35.30
BPT-16-08-12	1 X 1/2 X 3/4	10	60	24.78
BPT-16-08-16	1 X 1/2 X 1	10	40	37.90
BPT-16-12-08	1 X 3/4 X 1/2	10	60	40.03
BPT-16-12-12	1 X 3/4 X 3/4	10	60	35.20
BPT-16-12-16	1 X 3/4 X 1	10	40	35.20
BPT-16-16-08	1 X 1 X 1/2	10	60	25.52
BPT-16-16-12	1 X 1 X 3/4	10	40	24.91
BPT-16-16-20	1 X 1 X 1 1/4	4	28	68.71
BPT-20-08-20	1 1/4 X 1/2 X 1 1/4	1	40	70.12
BPT-20-12-08	1 1/4 X 3/4 X 1/2	1	50	54.71



CELLO PRODUCTS INC

Tees... Continued

Press x Press x Press	Press Fit	BPT-			
BPT-20-12-08	1 1/4 X 3/4 X 1/2	1	50	54.71	
BPT-20-12-12	1 1/4 X 3/4 X 3/4	4	28	61.19	
BPT-20-12-16	1 1/4 X 3/4 X 1	4	28	63.63	
BPT-20-12-20	1 1/4 X 3/4 X 1 1/4	4	24	56.30	
BPT-20-16-08	1 1/4 X 1 X 1/2	1	45	46.02	
BPT-20-16-12	1 1/4 X 1 X 3/4	4	24	41.52	
BPT-20-16-16	1 1/4 X 1 X 1	4	24	45.27	
BPT-20-16-20	1 1/4 X 1 X 1 1/4	4	24	107.81	
BPT-20-20-08	1 1/4 X 1 1/4 X 1/2	4	24	32.81	
BPT-20-20-12	1 1/4 X 1 1/4 X 3/4	4	40	34.50	
BPT-20-20-16	1 1/4 X 1 1/4 X 1	4	32	37.23	
BPT-24-08-24	1 1/2 X 1/2 X 1 1/2	2	16	93.45	
BPT-24-16-12	1 1/2 X 1 X 3/4	2	18	98.09	
BPT-24-16-16	1 1/2 X 1 X 1	2	18	109.48	
BPT-24-16-24	1 1/2 X 1 X 1 1/2	2	16	107.23	
BPT-24-20-12	1 1/2 X 1 1/4 X 3/4	1	25	75.14	
BPT-24-20-16	1 1/2 X 1 1/4 X 1	2	16	87.37	
BPT-24-20-20	1 1/2 X 1 1/4 X 1 1/4	2	16	72.07	
BPT-24-24-08	1 1/2 X 1 1/2 X 1/2	4	24	77.95	
BPT-24-24-12	1 1/2 X 1 1/2 X 3/4	4	24	63.81	
BPT-24-24-16	1 1/2 X 1 1/2 X 1	4	24	66.22	
BPT-24-24-20	1 1/2 X 1 1/2 X 1 1/4	4	24	71.12	
BPT-32-08-32	2 X 1/2 X 2	1	10	148.64	
BPT-32-16-16	2 X 1 X 1	1	12	105.55	
BPT-32-20-20	2 X 1 1/4 X 1 1/4	1	12	143.21	
BPT-32-24-12	2 X 1 1/2 X 3/4	1	12	122.78	
BPT-32-24-16	2 X 1 1/2 X 1	1	12	121.20	
BPT-32-24-20	2 X 1 1/2 X 1 1/4	1	12	125.20	
BPT-32-24-24	2 X 1 1/2 X 1 1/2	1	12	142.16	
BPT-32-24-32	2 X 1 1/2 X 2	1	12	118.16	
BPT-32-32-08	2 X 2 X 1/2	1	12	122.89	
BPT-32-32-12	2 X 2 X 3/4	1	12	103.89	
BPT-32-32-16	2 X 2 X 1	1	12	107.36	
BPT-32-32-20	2 X 2 X 1 1/4	1	12	109.42	
BPT-32-32-24	2 X 2 X 1 1/2	1	12	82.25	
BPT-40-12-40	2 1/2 X 3/4 X 2 1/2	1	0	414.96	
BPT-40-16-40	2 1/2 X 1 X 2 1/2	1	0	428.44	
BPT-40-24-40	2 1/2 X 1 1/2 X 2 1/2	1	0	379.18	
BPT-40-32-12	2 1/2 X 2 X 3/4	1	0	398.69	
BPT-40-32-16	2 1/2 X 2 X 1	1	0	375.39	
BPT-40-32-24	2 1/2 X 2 X 1 1/2	1	0	352.50	
BPT-40-40-08	2 1/2 X 2 1/2 X 1/2	1	18	382.54	
BPT-40-40-12	2 1/2 X 2 1/2 X 3/4	1	18	405.97	

BPT-40-40-16	2 1/2 X 2 1/2 X 1	1	16	405.97	
BPT-40-40-20	2 1/2 X 2 1/2 X 1 1/4	1	15	413.79	
BPT-40-40-24	2 1/2 X 2 1/2 X 1 1/2	1	12	395.42	
BPT-40-40-32	2 1/2 X 2 1/2 X 2	1	10	348.56	
BPT-48-12-48	3 X 3/4 X 3	1	0	418.35	
BPT-48-16-48	3 X 1 X 3	1	0	443.15	
BPT-48-32-32	3 X 2 X 2	1	9	442.82	
BPT-48-32-48	3 X 2 X 3	1	0	466.39	
BPT-48-40-32	3 X 2 1/2 X 2	1	0	436.18	
BPT-48-40-40	3 X 2 1/2 X 2 1/2	1	0	481.69	
BPT-48-48-08	3 X 3 X 1/2	1	0	425.19	
BPT-48-48-12	3 X 3 X 3/4	1	12	436.07	
BPT-48-48-16	3 X 3 X 1	1	12	436.07	
BPT-48-48-20	3 X 3 X 1 1/4	1	10	436.07	
BPT-48-48-24	3 X 3 X 1 1/2	1	10	436.07	
BPT-48-48-32	3 X 3 X 2	1	10	418.62	
BPT-48-48-40	3 X 3 X 2 1/2	1	7	461.83	
BPT-64-48-48	4 X 3 X 3	1	0	668.73	
BPT-64-64-08	4 X 4 X 1/2	1	0	659.04	
BPT-64-64-12	4 X 4 X 3/4	1	0	650.25	
BPT-64-64-16	4 X 4 X 1	1	8	483.13	
BPT-64-64-20	4 X 4 X 1 1/4	1	5	586.71	
BPT-64-64-24	4 X 4 X 1 1/2	1	6	546.55	
BPT-64-64-32	4 X 4 X 2	1	6	471.02	
BPT-64-64-40	4 X 4 X 2 1/2	1	4	448.79	
BPT-64-64-48	4 X 4 X 3	1	4	491.98	
BPT-64-64-48	4 X 4 X 3	1	4	491.98	



CELLO PRODUCTS INC.

NOMINAL TO O.D. EQUIVALENCE

Plg. & Htg. Nominal Size	O.D. Size
1/8"	1/4"
1/4"	3/8"
3/8"	1/2"
1/2"	5/8"
5/8"	3/4"
3/4"	7/8"
1"	1 1/8"
1 1/4"	1 3/8"
1 3/8"	1 1/2"
1 1/2"	1 5/8"
1 5/8"	1 3/4"
1 3/4"	1 7/8"
2"	2 1/8"
2 1/4"	2 3/8"
2 3/8"	2 1/2"
2 1/2"	2 5/8"
2 5/8"	2 3/4"
2 3/4"	2 7/8"
3"	3 1/8"

Abbreviations

C	-Copper
M	-Male Thread
FE	-Female Thread
FTG	-Fitting End (Street)
L.T.	-Long radius or turn
MJ	-Mechanical Joint
DE	-Drop Ear
D.W.V.	-Drain-Waste-Vent
SJ	-Slip Joint

Available from CELLO PRODUCTS

- ➔ *Brass Fittings*
- ➔ *Brass Nipples*
- ➔ *Brass Flanges*
- ➔ *Solder fittings - cast & wrot*
- ➔ *Solder Flanges*
- ➔ *PEX fittings (Brass)*
- ➔ *Silver braze fittings*
- ➔ *Drainage Plugs*
- ➔ *Dielectric Unions*
- ➔ *Sand Cloth*
- ➔ *Gas Valves*

*Ask your Sales Representative for pricing or call
1-800-265-7882 for Customer Services.*



CELLO PRODUCTS INC.

SHIPPING TERMS

Freight prepaid on NET orders over \$2,000 US. All orders under \$2,000 will be shipped freight prepaid & charge unless specified otherwise. Minimum NET order \$75.

BACKORDERS

Please note: Due to rising freight costs, we will cancel ALL backorders minimum NET \$50 and under. Customers will be notified by fax and may reorder.

WARRANTY

All Cello products are guaranteed against defects resulting from faulty workmanship or materials which affect their usefulness and such products will be replaced free of charge. The company will not be responsible for labour charges or other expenses created by the replacement of the defective product or damage resulting from its use. Warranty obligations apply only when goods are used for the purpose and under the conditions for which they were intended. Cello fittings listed here are for use with soft solder piping systems. Cast fittings to be used in silver brazing systems require special silver brazing cups - please inquire when silver brazing is to be used. Every precaution has been taken in preparing this price list, however, Cello Products Inc. cannot be held responsible for omissions or typographical errors.